


MINI 270




For 2 people

L: **3,95 m** H: 1,98 m

From 750 kg

MIN1300



For 2 people

L: **4,42 m** H: 1,98 m

From 750 kg



MINI MINI 270 300

BERTHS 2 2 DIMENSIONS (m) et WEIGHTS (kg) 3,95 4,42 Overall length 2,99 3,47 External body length 2,5 2,97 Linternal length Internal height 1,87 1,87 2,03 2,03 Overall width Internal width 1,9 1,9 1,98 Overall height (roof closed) 1,98 2,33 2,33 Overall height (roof open) 1230x980 1230x980 Front door size (mm) **Empty weight** 600 688 Mass in running order 641 695/807 Max authorized weight 750 750 750/1200 Administrative payload modification 750/1200 KITCHEN Jerrycan of clean water √20L √20L Electric refrigerator √70L √70L BEDROOM ET BEDS Sitting group transformable into a bed 190x140 190x186 BATHROOM Cassette toilet \checkmark **ELECTRICAL INSTALLATIONS** 230V sockets V3 V4 PACKS AND OPTIONS Motorcycle transport pack: (70 kg) Tilting floor, Electric winch 0 Arctic Pack: (14/17 kg) 2200 gas heater, Insulating extension 0 Look Pack: (30 kg) Alloy wheels, Drawbar cover 0 0 Shower Pack: (20/26 kg) - On both models : Boiler / Fixed fresh watertank 45L / Fixed waste watertank 30L - Mini 270 : Outdoor shower connection + Outdoor shower curtain 0 0 + Outdoor hand shower connection - Mini 300 : Shower tray + interior shower curtain +

IMPORTANT: Adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.

Equipment

CHASSIS/BODYWORK

- XPS STYROFOAM™
- · Galvanized chassis and drawbar
- · Independant wheel with shock absorbers
- Jockey wheel Automatic braking by recoil inertia
- Wheel trims
- · Polyester side walls
- · GRP side skirt
- · XL width entrance door
- Awning rail
- LED Awning light
- Gas bottle storage

HOUSING

- LED INTERIOR LIGHTING
- Pre equipment TV : SAT and 230V sockets
- \bullet LED spotlights for reading with USB
- · Combined blinds & flv nets

KITCHEN

• 2-burner stove and stainless steel sink combination

ELECTRICAL INSTALLATIONS

- 230V sockets
- USB sockets
- Transformer/charger module 230V/12V including ground fault circuit breaker









Transport of bicycles (16kg)

easy-to-tow



0

0

0

0

low-profile

0

0

O (without Motorcycle

transport pack)



An easy-to-store



All technical specifications (text and photos) valid at the time of printing (August 2025) are provided by Mini Freestyle for informational purposes only. They may be subject to change, often due to technical advances. In the case of a multilingual version, the French language is authoritative. This document is not contractually binding.

exterior shower head connection + exterior shower curtain Accessories Pack: (16/18 kg) Mosquito net door,

Safety Pack: (34 kg) AKS stabiliser 3004, Steel spare wheel,

Battery box with pre-equipment, Blind

exterior gate WC Portapotti (7kg)

Photos: Serge Chapuis - Graphic design: Agence Korigan

TRIGANO VDL 1, avenue de Rochebonne - CS 69003 -07302 TOURNON-SUR-RHÔNE CEDEX - FRANCE





FREEDOM, WITH ADDED COMFORT EN **2026 POP-UP CARAVANS** More details on www.mini-freestyle.com/en/

MINI 290



For 2 people

L: **4,42 m** H: 1,98 m

From 750 kg

MIN1442





Technical Characteristics	MINI 290	MINI 442
BERTHS	2	3
DIMENSIONS (m) et WEIGHTS (kg)		
Overall length	4,42	5,91
External body length	3,47	4,88
Linternal length	2,97	4,4
Internal height	1,87	1,95
Overall width	2,03	2,03
Internal width	1,9	1,9
Overall height (roof closed)	1,98	2,03
Overall height (roof open)	2,33	2,33
Front door size (mm)	1411x530	1411x530
Empty weight	676	925*
Mass in running order	693	942*
Max authorized weight	750	1050
Administrative payload modification	750/1200	1050/1300
Awning length +/-5%	-	7,28
HOUSING		
Gas-assisted roof lifting	-	\checkmark
KITCHEN		
Electric refrigerator	85L	85L
BEDROOM ET BEDS		
Sitting group transformable into a bed (cm)	190x140	-
Rear dinette convertible into 1-person bed	-	190x675
Twin beds convertible into a king-size bed	-	2x95x195 or 190x195
Slatted bed frame	-	✓
ELECTRICAL INSTALLATIONS		
230V sockets	√3	√4
PACKS AND OPTIONS		
Arctic Pack : (14/17 kg) 2200 gas heater, Insulating extension	0	(without O Insulating extension)
Look Pack: (30 kg) Alloy wheels, Drawbar cover	0	0
Accessories Pack : (18 kg) Mosquito net door, Battery box with pre-equipment, Blind	0	0
Safety Pack: (34 kg) AKS stabiliser 3004, Steel spare wheel, exterior gate	0	0

*Values subject to confirmation.

IMPORTANT: Adding optional equipment reduces the user payload. The Mass in Running Order includes the weight of the caravan with the standard equipment.

Equipment

CHASSIS/BODYWORK

- XPS STYROFOAM™
- Galvanized chassis and drawbar
- Independant wheel with shock absorbers
- Jockey wheel
- · Automatic braking by recoil inertia
- Wheel trimsPolyester side walls
- GRP side skirt
- · GRP roof with canvas roof extension
- Double-paned opening window
- Front window
- · Rear window
- Awning rail
- LED Awning light Gas bottle storage

HOUSING

- LED INTERIOR LIGHTING
- Pre equipment TV: SAT and 230V sockets
- LED spotlights for reading with USB
- · Combined blinds & fly nets

ELECTRICAL INSTALLATIONS

- · 230V sockets
- USB sockets
- Transformer/charger module 230V/12V including ground fault circuit breaker

KITCHEN

- Stainless steel sink
- 2-burner stainless steel stove with glass lid
- · Fixed fresh watertank 45L
- · Fixed waste watertank 30L
- Truma-therme 5l Elec water heater

BATHROOM

- Cassette toilet
- Wooden shower duck board





easy-to-tow



low-profile



An easy-to-store





All technical specifications (text and photos) valid at the time of printing (August 2025) are provided by Mini Freestyle for informational purposes only. They may be subject to change, often due to technical advances. In the case of a multilingual version, the French language is authoritative. This document is not contractually binding.
Photos: Serge Chapuis - Graphic design: Agence Korigan

TRIGANO VDL 1, avenue de Rochebonne - CS 69003 -07302 TOURNON-SUR-RHÔNE CEDEX - FRANCE



